

Seamless boiler tubes and pipes

Seamless boiler tubes and pipes, type of steel see below, in fabrication lengths of 5 - 7 m,
bevelled ends, tubes larger than 44.5mm hard stamped with charge number,
other sizes marked with bundle tags.
Mill test certificate in accordance with EN 10204/3.1.

OD mm	Wall mm	Weight kg/m	St35.8/I P235GH TC1 1.0345	St35.8/III P235GH TC2 1.0345	TT St35N	15Mo3 16Mo3 1.5415	13CrMo4-4 13CrMo4-5 1.7335	10CrMo9-10 10CrMo9-10 1.7380	ASME SA 106/B	ASME SA 333/6
13.5	2.6	0.70		X						
13.5	2.6	0.70				X				
13.5	2.6	0.70						X		
13.5	2.9	0.76	X							
17.1	3.2	1.10							X	
17.2	2.9	1.02	X							
17.2	4.0	1.30	X							
20.0	2.0	0.89	X							
21.3	2.0	0.95	X							
21.3	2.0	0.95		X						
21.3	2.3	1.08	X							
21.3	2.6	1.20	X							
21.3	2.8	1.27							X	
21.3	2.9	1.32	X							
21.3	2.9	1.32		X						
21.3	2.9	1.32				X				
21.3	2.9	1.32						X		
21.3	3.2	1.43	X							
21.3	3.2	1.43		X						
21.3	3.2	1.43				X				
21.3	3.6	1.57	X							
21.3	3.6	1.57				X				
21.3	3.7	1.62							X	
21.3	3.7	1.62								X
21.3	4.8	1.95							X	
25.0	2.0	1.13	X							
25.0	2.6	1.44	X							
25.0	2.9	1.58	X							
26.7	2.9	1.69							X	
26.7	2.9	1.69								X
26.7	3.9	2.20							X	
26.7	3.9	2.20								X
26.7	5.6	2.90							X	
26.9	2.3	1.40	X							
26.9	2.3	1.40		X						
26.9	2.6	1.56	X							
26.9	2.9	1.72	X							
26.9	2.9	1.72					X			
26.9	2.9	1.72						X		
26.9	2.9	1.72								
26.9	3.2	1.87	X							
26.9	3.2	1.87		X						
26.9	3.6	2.07	X							
26.9	3.6	2.07		X						
26.9	3.6	2.07								
26.9	3.6	2.07				X				

D mm	Wall mm	Weight kg/m	St35.8/I P235GH TC1 1.0345	St35.8/III P235GH TC2 1.0345	TT St35N	15Mo3 16Mo3 1.5415	13CrMo4-4 13CrMo4-5 1.7335	10CrMo9-10 10CrMo9-10 1.7380	ASME SA 106/B	ASME SA 333/6
26.9	3.6	2.07					X			
26.9	3.6	2.07						X		
26.9	4.0	2.26	X							
26.9	4.5	2.49	X							
26.9	4.5	2.49								
26.9	4.5	2.49					X			
26.9	5.0	2.70	X							
26.9	5.0	2.70		X						
26.9	5.0	2.70								
26.9	5.0	2.70					X			
26.9	5.0	2.70								
26.9	6.3	3.20								
30.0	2.6	1.76	X							
31.8	2.6	1.87	X							
31.8	2.9	2.07	X							
31.8	3.2	2.26	X							
31.8	3.2	2.26					X			
31.8	3.2	2.26						X		
31.8	3.2	2.26								
31.8	3.6	2.50	X							
31.8	3.6	2.50								
31.8	4.0	2.74	X							
31.8	4.0	2.74								
31.8	4.0	2.74					X			
31.8	4.0	2.74						X		
31.8	4.0	2.74								
31.8	4.5	3.03								
31.8	4.5	3.03						X		
31.8	5.0	3.30	X							
31.8	5.0	3.30								
31.8	5.6	3.62	X							
31.8	5.6	3.62								
31.8	5.6	3.62					X			
31.8	6.3	3.96								
33.4	3.4	2.50							X	
33.4	3.4	2.50								X
33.4	4.6	3.24							X	
33.4	4.6	3.24								X
33.4	6.4	4.24							X	
33.7	2.6	1.99	X							
33.7	2.6	1.99			X					
33.7	2.6	1.99								
33.7	2.6	1.99								
33.7	2.6	1.99								
33.7	2.6	1.99								
33.7	2.6	1.99					X			
33.7	2.6	1.99						X		
33.7	2.6	1.99								
33.7	2.9	2.20			X					
33.7	3.2	2.41	X							
33.7	3.2	2.41								
33.7	3.6	2.67	X							
33.7	3.6	2.67			X					
33.7	3.6	2.67						X		
33.7	3.6	2.67						X		
33.7	3.6	2.67								
33.7	4.0	2.93	X							
33.7	4.0	2.93								
33.7	4.0	2.93			X					
33.7	4.0	2.93						X		
33.7	4.0	2.93								
33.7	4.0	2.93						X		

D mm	Wall mm	Weight Kg/m	St35.8/I P235GH TC1 1.0345	St35.8/III P235GH TC2 1.0345	TT St35N	15Mo3 16Mo3 1.5415	13CrMo4-4 13CrMo4-5 1.7335	10CrMo9-10 10CrMo9-10 1.7380	ASME SA 106/B	ASME SA 333/6
33.7	4.0	2.93						X		
33.7	4.5	3.24	X							
33.7	4.5	3.24		X						
33.7	4.5	3.24				X				
33.7	4.5	3.24						X		
33.7	5.0	3.54	X							
33.7	5.0	3.54		X						
33.7	5.0	3.54			X					
33.7	5.0	3.54				X				
33.7	5.0	3.54					X			
33.7	5.6	3.88				X				
33.7	5.6	3.88						X		
33.7	6.3	4.26	X							
33.7	6.3	4.26						X		
38.0	2.6	2.27	X							
38.0	2.9	2.51	X							
38.0	3.2	2.75		X						
38.0	3.2	2.75				X				
38.0	3.6	3.05				X				
38.0	3.6	3.05						X		
38.0	4.0	3.35	X							
38.0	4.0	3.35		X						
38.0	4.0	3.35				X				
38.0	4.0	3.35					X			
38.0	4.5	3.72				X				
38.0	4.5	3.72	X				X			
38.0	5.0	4.07		X						
38.0	5.0	4.07				X				
38.0	5.0	4.07					X			
38.0	5.0	4.07						X		
38.0	5.0	4.07							X	
38.0	5.0	4.07				X				
38.0	5.6	4.47				X				
38.0	6.3	4.93	X							
38.0	6.3	4.93						X		
42.2	3.6	3.39							X	
42.2	4.9	4.47							X	
42.4	2.6	2.55	X							
42.4	2.6	2.55		X						
42.4	2.6	2.55			X					
42.4	2.6	2.55				X				
42.4	2.6	2.55								X
42.4	3.2	3.09	X							
42.4	3.2	3.09		X						
42.4	3.2	3.09				X				
42.4	3.6	3.44	X							
42.4	3.6	3.44				X				
42.4	4.0	3.79	X							
42.4	4.0	3.79				X				
42.4	4.0	3.79					X			
42.4	4.5	4.21	X							
42.4	5.0	4.61	X							
42.4	5.0	4.61		X						
42.4	5.0	4.61				X				
42.4	5.6	5.08								
42.4	5.6	5.08					X			

D mm	Wall mm	Weight kg/m	St35.8/I P235GH TC1 1.0345	St35.8/III P235GH TC2 1.0345	TT St35N	15Mo3 16Mo3 1.5415	13CrMo4-4 13CrMo4-5 1.7335	10CrMo9-10 10CrMo9-10 1.7380	ASME SA 106/B	ASME SA 333/6
42.4	6.3	5.61	X							
42.4	6.3	5.61		X						
42.4	6.3	5.61				X				
42.4	6.3	5.61						X		
42.4	7.1	6.18	X							
42.4	7.1	6.18				X				
42.4	8.0	6.79				X				
44.5	2.6	2.69	X							
44.5	2.9	2.98	X							
44.5	3.2	3.26		X						
44.5	3.2	3.26				X				
44.5	3.6	3.63	X							
44.5	3.6	3.63		X						
44.5	3.6	3.63				X				
44.5	3.6	3.63					X			
44.5	4.0	4.00	X							
44.5	4.0	4.00		X						
44.5	4.0	4.00				X				
44.5	4.0	4.00					X			
44.5	4.5	4.44				X				
44.5	5.0	4.87	X							
44.5	5.0	4.87		X						
44.5	5.0	4.87				X				
44.5	5.0	4.87					X			
44.5	5.0	4.87						X		
44.5	6.3	5.94					X			
48.3	2.6	2.93	X							
48.3	2.6	2.93		X						
48.3	2.6	2.93			X					
48.3	2.6	2.93				X				
48.3	2.6	2.93					X			
48.3	2.6	2.93						X		
48.3	2.6	2.93							X	
48.3	2.9	3.26	X							
48.3	2.9	3.26				X				
48.3	3.2	3.56	X							
48.3	3.2	3.56		X						
48.3	3.6	3.97	X							
48.3	3.6	3.97		X						
48.3	3.6	3.97				X				
48.3	3.7	4.05							X	
48.3	3.7	4.05								X
48.3	4.0	4.37	X							
48.3	4.0	4.37				X				
48.3	4.0	4.37					X			
48.3	4.5	4.86	X							
48.3	4.5	4.86				X				
48.3	5.0	5.34	X							
48.3	5.0	5.34				X				
48.3	5.1	5.41							X	
48.3	5.1	5.41								X
48.3	5.6	5.90	X							
48.3	5.6	5.90				X				
48.3	5.6	5.90					X			
48.3	6.3	6.53	X							
48.3	6.3	6.53				X				

D mm	Wall mm	Weight kg/m	St35.8/I P235GH TC1 1.0345	St35.8/III P235GH TC2 1.0345	TT St35N	15Mo3 16Mo3 1.5415	13CrMo4-4 13CrMo4-5 1.7335	10CrMo9-10 10CrMo9-10 1.7380	ASME SA 106/B	ASME SA 333/6
48.3	6.3	6.53						X		
48.3	7.1	7.25							X	
48.3	10.0	9.45						X		
48.3	11.0	10.10						X		
51.0	2.6	3.10	X							
51.0	3.2	3.77	X					X		
51.0	3.2	3.77								
51.0	3.6	4.21	X							
51.0	3.6	4.21		X						
51.0	3.6	4.21				X				
51.0	4.0	4.64	X							
51.0	5.0	5.67	X							
51.0	5.0	5.67		X						
51.0	5.0	5.67				X				
51.0	5.0	5.67					X			
51.0	5.6	6.27				X				
51.0	6.3	6.94		X						
51.0	6.3	6.94				X				
57.0	2.9	3.87	X							
57.0	3.2	4.25	X							
57.0	3.2	4.25		X						
57.0	3.2	4.25				X				
57.0	3.6	4.74	X							
57.0	4.0	5.23	X							
57.0	4.0	5.23		X						
57.0	4.0	5.23				X				
57.0	4.0	5.23					X			
57.0	4.5	5.83	X							
57.0	4.5	5.83		X						
57.0	4.5	5.83				X				
57.0	4.5	5.83						X		
57.0	4.5	5.83								
57.0	4.5	5.83				X				
57.0	4.5	5.83						X		
57.0	5.0	6.41	X							
57.0	5.0	6.41		X						
57.0	5.0	6.41				X				
57.0	5.0	6.41					X			
57.0	5.0	6.41						X		
57.0	5.6	7.10	X							
57.0	5.6	7.10						X		
57.0	6.3	7.88	X							
57.0	6.3	7.88		X						
57.0	6.3	7.88								
60.3	2.9	4.11	X							
60.3	2.9	4.11		X						
60.3	2.9	4.11				X				
60.3	3.2	4.51	X							
60.3	3.2	4.51				X				
60.3	3.6	5.03	X							
60.3	3.6	5.03		X						
60.3	3.6	5.03				X				
60.3	3.9	5.44							X	
60.3	3.9	5.44								X
60.3	4.0	5.55	X							
60.3	4.0	5.55		X						
60.3	4.0	5.55				X				
60.3	4.0	5.55					X			

D mm	Wall mm	Weight kg/m	St35.8/I P235GH TC1 1.0345	St35.8/III P235GH TC2 1.0345	TT St35N	15Mo3 16Mo3 1.5415	13CrMo4-4 13CrMo4-5 1.7335	10CrMo9-10 10CrMo9-10 1.7380	ASME SA 106/B	ASME SA 333/6
60.3	4.0	5.55						X		
60.3	4.5	6.19	X							
60.3	4.5	6.19				X				
60.3	5.0	6.82	X							
60.3	5.0	6.82		X						
60.3	5.0	6.82				X				
60.3	5.0	6.82								
60.3	5.0	6.82								
60.3	5.5	7.48							X	
60.3	5.5	7.48								X
60.3	5.6	7.55	X							
60.3	5.6	7.55		X						
60.3	6.3	8.39	X							
60.3	6.3	8.39				X				
60.3	7.1	9.32	X							
60.3	7.1	9.32		X						
60.3	7.1	9.32				X				
60.3	7.1	9.32								
60.3	7.1	9.32	X							
60.3	8.0	10.30	X							
60.3	8.7	11.10							X	
63.5	3.2	4.76	X							
63.5	4.0	5.87	X							
63.5	4.0	5.87		X						
63.5	4.0	5.87				X				
63.5	5.0	7.21						X		
70.0	2.9	4.80	X							
70.0	4.0	6.51					X			
70.0	5.0	8.01	X							
70.0	6.3	9.90	X							
70.0	6.3	9.90				X				
70.0	7.1	11.00				X				
70.0	8.8	13.30	X							
70.0	14.2	19.5	X							
73.0	5.2	8.60							X	
73.0	7.0	11.40							X	
76.1	2.9	5.24	X							
76.1	2.9	5.24		X						
76.1	2.9	5.24								
76.1	2.9	5.24								
76.1	3.2	5.75	X							
76.1	3.6	6.44	X							
76.1	3.6	6.44		X						
76.1	4.0	7.11	X							
76.1	4.0	7.11		X						
76.1	4.0	7.11				X				
76.1	4.5	7.95	X							
76.1	5.0	8.77	X							
76.1	5.0	8.77		X						
76.1	5.6	9.74	X							
76.1	5.6	9.74		X						
76.1	6.3	10.80	X							
76.1	6.3	10.80		X						
76.1	7.1	12.10	X							
76.1	7.1	12.10		X						
76.1	7.1	12.10				X				
76.1	8.0	13.40	X							

D mm	Wall mm	Weight kg/m	St35.8/I P235GH TC1 1.0345	St35.8/III P235GH TC2 1.0345	TT St35N	15Mo3 16Mo3 1.5415	13CrMo4-4 13CrMo4-5 1.7335	10CrMo9-10 10CrMo9-10 1.7380	ASME SA 106/B	ASME SA 333/6
76.1	8.0	13.40		X						
76.1	8.0	13.40				X				
76.1	10.0	16.30	X							
76.1	10.0	16.30				X				
76.1	12.5	19.60				X				
76.1	12.5	19.60					X			
82.5	3.2	6.26	X							
82.5	4.0	7.74		X						
82.5	4.0	7.74				X				
82.5	5.0	9.56	X							
82.5	8.0	14.70	X							
82.5	10.0	17.90	X							
82.5	12.5	21.60	X							
88.9	3.2	6.76	X							
88.9	3.2	6.76		X						
88.9	3.2	6.76				X				
88.9	3.6	7.57	X							
88.9	3.6	7.57				X				
88.9	4.0	8.38	X							
88.9	4.0	8.38		X						
88.9	4.0	8.38			X					
88.9	4.5	9.37	X							
88.9	4.5	9.37		X						
88.9	4.5	9.37				X				
88.9	5.0	10.30	X							
88.9	5.0	10.30		X						
88.9	5.0	10.30				X				
88.9	5.5	11.30						X		
88.9	5.5	11.30								X
88.9	5.6	11.50	X							
88.9	5.6	11.50					X			
88.9	6.3	12.80	X							
88.9	6.3	12.80		X						
88.9	6.3	12.80				X				
88.9	7.1	14.30	X							
88.9	7.1	14.30		X						
88.9	7.1	14.30				X				
88.9	7.6	15.30						X		
88.9	7.6	15.30								X
88.9	8.0	16.00	X							
88.9	8.0	16.00		X						
88.9	8.0	16.00				X				
88.9	8.8	17.40	X							
88.9	8.8	17.40		X						
88.9	8.8	17.40				X				
88.9	10.0	19.50	X							
88.9	10.0	19.50		X						
88.9	10.0	19.50				X				
88.9	11.0	21.10				X				
88.9	11.1	21.40						X		
88.9	12.5	23.60	X							
101.6	3.6	8.70	X							
101.6	4.5	10.80	X							
101.6	5.0	11.90	X							

D mm	Wall mm	Weight kg/m	St35.8/I P235GH TC1 1.0345	St35.8/III P235GH TC2 1.0345	TT St35N	15Mo3 16Mo3 1.5415	13CrMo4-4 13CrMo4-5 1.7335	10CrMo9-10 10CrMo9-10 1.7380	ASME SA 106/B	ASME SA 333/6
101.6	5.0	11.90		X						
101.6	5.0	11.90				X				
101.6	6.3	14.80		X						
101.6	6.3	14.80				X				
101.6	7.1	16.50		X						
101.6	7.1	16.50				X				
101.6	11.0	24.60					X			
108.0	3.6	9.27	X							
108.0	4.5	11.50		X						
108.0	7.1	17.70		X						
108.0	12.5	29.40				X				
114.3	3.6	9.83	X							
114.3	3.6	9.83		X						
114.3	3.6	9.83			X					
114.3	3.6	9.83				X				
114.3	4.0	10.90	X							
114.3	4.0	10.90		X						
114.3	4.0	10.90				X				
114.3	4.5	12.20	X							
114.3	5.0	13.50	X							
114.3	5.0	13.50		X						
114.3	5.0	13.50				X				
114.3	5.6	15.00	X							
114.3	5.6	15.00				X				
114.3	6.0	16.10							X	
114.3	6.0	16.10	X							
114.3	6.3	16.80		X						
114.3	6.3	16.80				X				
114.3	6.3	16.80						X		
114.3	7.1	18.80	X							
114.3	7.1	18.80					X			
114.3	8.0	21.00	X							
114.3	8.0	21.00		X						
114.3	8.0	21.00				X				
114.3	8.0	21.00							X	
114.3	8.6	22.30	X							
114.3	8.6	22.30								X
114.3	8.8	22.90	X							
114.3	8.8	22.90				X				
114.3	12.5	31.40				X				
114.3	13.5	33.50							X	
114.3	16.0	38.80				X				
127.0	4.0	12.10	X							
127.0	6.3	18.80		X						
127.0	8.0	23.50		X						
127.0	8.8	25.70	X							
127.0	8.8	25.70		X						
127.0	10.0	28.90		X						
127.0	11.0	31.50		X						
133.0	4.0	12.70	X							
133.0	6.3	19.70	X							
133.0	5.6	17.60	X							
139.7	4.0	13.40	X							
139.7	4.0	13.40		X						
139.7	4.0	13.40				X				

D mm	Wall mm	Weight kg/m	St35.8/I P235GH TC1 1.0345	St35.8/III P235GH TC2 1.0345	TT St35N	15Mo3 16Mo3 1.5415	13CrMo4-4 13CrMo4-5 1.7335	10CrMo9-10 10CrMo9-10 1.7380	ASME SA 106/B	ASME SA 333/6
139.7	4.5	15.00	X							
139.7	5.0	16.60	X							
139.7	5.0	16.60				X				
139.7	5.6	18.50	X							
139.7	5.6	18.50				X				
139.7	6.3	20.70	X							
139.7	6.3	20.70		X						
139.7	6.3	20.70				X				
139.7	7.1	23.20	X							
139.7	7.1	23.20		X						
139.7	7.1	23.20				X				
139.7	8.0	26.00	X							
139.7	8.0	26.00				X				
139.7	8.8	28.40	X							
139.7	10.0	32.00	X							
139.7	12.5	39.20	X							
139.7	12.5	39.20				X				
139.7	14.2	43.90				X				
139.7	16.0	48.80				X				
141.3	6.6	21.80							X	
141.3	9.5	31.00							X	
159.0	7.1	26.60		X						
159.0	8.0	29.80	X							
168.3	4.5	18.20	X							
168.3	4.5	18.20		X						
168.3	4.5	18.20				X				
168.3	5.0	20.10	X							
168.3	6.3	25.20	X							
168.3	6.3	25.20		X						
168.3	6.3	25.20				X				
168.3	7.1	28.20	X							
168.3	7.1	28.20				X				
168.3	7.1	28.30						X		
168.3	7.1	28.30								X
168.3	8.0	31.60				X				
168.3	8.8	34.60	X							
168.3	8.8	34.60		X						
168.3	8.8	34.60				X				
168.3	10.0	39.00	X							
168.3	10.0	39.00		X						
168.3	10.0	39.00				X				
168.3	11.0	42.70	X							
168.3	11.0	42.70		X						
168.3	11.0	42.70				X				
168.3	11.0	42.70						X		
168.3	11.0	42.70							X	
168.3	11.0	42.70								X
168.3	12.5	48.00		X						
168.3	12.5	48.00				X				
168.3	14.2	54.00		X						
168.3	14.2	54.00				X				
168.3	16.0	60.10	X							
168.3	16.0	60.10		X						
168.3	20.0	73.10				X				
193.7	5.6	26.00	X							

D mm	Wall mm	Weight kg/m	St35.8/I P235GH TC1 1.0345	St35.8/III P235GH TC2 1.0345	TT St35N	15Mo3 16Mo3 1.5415	13CrMo4-4 13CrMo4-5 1.7335	10CrMo9-10 10CrMo9-10 1.7380	ASME SA 106/B	ASME SA 333/6
193.7	7.1	32.70		X						
193.7	8.0	36.60		X						
193.7	14.2	62.90		X						
193.7	17.5	76.00		X						
193.7	17.5	76.00				X				
219.1	6.3	33.10	X							
219.1	6.3	33.10		X						
219.1	6.3	33.10				X				
219.1	6.4	33.30							X	
219.1	7.0	36.80							X	
219.1	8.0	41.60	X							
219.1	8.2	42.60							X	
219.1	8.2	42.60								X
219.1	8.8	45.60	X							
219.1	10.0	51.60	X							
219.1	10.0	51.60		X						
219.1	10.0	51.60				X				
219.1	10.3	53.10							X	
219.1	12.5	63.70	X							
219.1	12.5	63.70				X				
219.1	12.7	64.60							X	
219.1	14.2	71.80		X						
219.1	17.5	87.00		X						
219.1	20.0	98.20		X						
219.1	22.2	108.00				X				
219.1	25.0	120.00		X						
244.5	22.2	122.00				X				
273.0	6.3	41.40	X							
273.0	6.3	41.40		X						
273.0	6.3	41.40				X				
273.0	6.4	41.80							X	
273.0	7.8	51.00							X	
273.0	8.0	52.30	X							
273.0	8.0	52.30		X						
273.0	8.8	57.30	X							
273.0	8.8	57.30		X						
273.0	9.3	60.30							X	
273.0	10.0	41.40	X							
273.0	10.0	41.40		X						
273.0	10.0	41.40				X				
273.0	10.0	41.40							X	
273.0	12.5	80.30	X							
273.0	12.7	81.60							X	
273.0	20.0	125.00		X						
273.0	28.0	169.00		X						
298.5	7.1	51.00	X							
323.9	7.1	55.50	X							
323.9	7.1	55.50				X				
323.9	8.4	65.20							X	
323.9	9.5	73.90							X	
323.9	10.0	77.40	X							
323.9	12.7	97.50							X	
355.6	8.0	68.60	X							
355.6	8.0	68.60				X				
355.6	9.5	81.30							X	

D mm	Wall mm	Weight kg/m	St35.8/I P235GH TC1 1.0345	St35.8/III P235GH TC2 1.0345	TT St35N	15Mo3 16Mo3 1.5415	13CrMo4-4 13CrMo4-5 1.7335	10CrMo9-10 10CrMo9-10 1.7380	ASME SA 106/B	ASME SA 333/6
355.6	11.0	93.50		X						
355.6	12.7	107.40							X	
368.0	17.5	151.00				X				
406.4	8.8	86.30	X							
406.4	9.5	93.30							X	
406.4	12.7	123.30							X	
457.0	9.5	105.20							X	
457.0	10.0	110.00	X							
457.0	12.7	139.20							X	
457.0	14.3	155.80							X	
508.0	9.5	117.20							X	
508.0	11.0	135.00	X							
508.0	12.7	155.10							X	
610.0	9.5	141.10							X	
610.0	12.5	184.00	X							
610.0	12.7	187.10							X	